



Tel: +886 2 2346 6168 Fax: +886 2 2346 6068

INDEPENDENT ASSURANCE REPORT

To the management of Chunghwa Telecom(CHT):

We have been engaged, in a reasonable assurance engagement, to report on CHT management's assertion that for its Certification Authority (CA) operations at Taipei and Taichung, Taiwan, as of 22 February 2019 for its CAs as enumerated in Appendix A, CHT has:

- disclosed its EV SSL certificate lifecycle management business practices in its:
 - HiPKI EV TLS CA Certification Practice Statement Version 1.0;
 - <u>HiPKI Root Certification Authority Certification Practice</u> <u>Statement Version 1.0</u>; and
 - <u>HiPKI Certificate Policy Version 1.0</u> including its commitment to provide EV SSL certificates in conformity with the CA/Browser Forum Guidelines on the CHT website, and provided such services in accordance with its disclosed practices
- suitably designed, and placed into operation, controls to provide reasonable assurance that:
 - the integrity of keys and extended validation SSL(EV SSL) certificates it manages is established and protected throughout their lifecycles; and
 - EV SSL subscriber information is properly authenticated (for the registration activities performed by CHT)
- maintained effective controls to provide reasonable assurance that its EV SSL CA is operated in conformity with CA/Browser Forum Guideline

in accordance with the WebTrust Principles and Criteria for Certification Authorities – Extended Validation SSL v1.6.2.



Taipei City 110, Taiwan, R.O.C. Tel: +886 2 2346 6168

Fax: +886 2 2346 6068

Certification authority's responsibilities

CHT's management is responsible for its assertion, including the fairness of its presentation, and the provision of its described services in accordance with the WebTrust Principles and Criteria for Certification Authorities – Extended Validation SSL v1.6.2.

Our independence and quality control

We have complied with the independence and other ethical requirements of the *Code of Ethics for Professional Accountants* issued by the International Ethics Standards Board for Accountants, which is founded on fundamental principles of integrity, objectivity, professional competence and due care, confidentiality and professional behavior.

The firm applies International Standard on Quality Control 1, and accordingly maintains a comprehensive system of quality control including documented policies and procedures regarding compliance with ethical requirements, professional standards and applicable legal and regulatory requirements.

Auditor's responsibilities

Our responsibility is to express an opinion on management's assertion based on our procedures. We conducted our procedures in accordance with International Standard on Assurance Engagements 3000, Assurance Engagements Other than Audits or Reviews of Historical Financial Information, issued by the International Auditing and Assurance Standards Board. This standard requires that we plan and perform our procedures to obtain reasonable assurance about whether, in all material respects, management's assertion is fairly stated, and, accordingly, included:



Taipei City 110, Taiwan, R.O.C.

Tel: +886 2 2346 6168 Fax: +886 2 2346 6068

(1) obtaining an understanding of CHT's key and certificate lifecycle management business practices and its controls over key and certificate integrity, over the authenticity and confidentiality of subscriber and relying party information, over the continuity of key and certificate lifecycle management operations and over development, maintenance and operation of systems integrity;

- (2) evaluating the suitability of the design of the controls; and
- (3) performing such other procedures as we considered necessary in the circumstances.

We did not perform procedures to determine the operating effectiveness of controls for any period. Accordingly, we express no opinion on the operating effectiveness of any aspects of CHT's controls, individually or in the aggregate.

We believe that the evidence we have obtained is sufficient and appropriate to provide a basis for our opinion.

Suitability of controls

The suitability of the design of the controls at CHT and their effect on assessments of control risk for subscribers and relying parties are dependent on their interaction with the controls, and other factors present at individual subscriber and relying party locations. We have performed no procedures to evaluate the suitability of the design of the controls at individual subscriber and relying party locations.

Inherent limitations

Because of the nature and inherent limitations of controls, CHT's ability to meet the aforementioned criteria may be affected. For example, controls may not prevent, or detect and correct, error, fraud, unauthorized access to systems and information, or failure to comply with internal and external



Taipei City 110, Taiwan, R.O.C.

Tel: +886 2 2346 6168 Fax: +886 2 2346 6068

policies or requirements. Also, the projection of any conclusions based on our findings to future periods is subject to the risk that changes may alter the validity of such conclusions.

Opinion

In our opinion, as of 22 February, 2019, CHT management's assertion, as referred to above, is fairly stated, in all material respects, in accordance with the WebTrust Principles and Criteria for Certification Authorities – Extended Validation SSL v1.6.2.

This report does not include any representation as to the quality of CHT's services beyond those covered by the WebTrust Principles and Criteria for Certification Authorities – Extended Validation SSL v1.6.2, nor the suitability of any of CHT's services for any customer's intended purpose.



DFIK TUTERNATZONAL



19F.-5, No.171, Songde Rd., Sinyi District, Taipei City 110, Taiwan, R.O.C.

Tel: +886 2 2346 6168 Fax: +886 2 2346 6068

Appendix A – HiPKI Root and Intermediate CAs within the Audit Report Scope

| | Root CA Certificate | | |
|----------------------------|---|---|--|
| HiPKI Root CA - G1 | CN = HiPKI Root CA - G1 O = Chunghwa Telecom Co., Ltd. | Issuer CN = HiPKI Root CA - G1 O = Chunghwa Telecom Co., Ltd. C = TW | |
| | Serial Number: 2d:dd:ac:ce:62:97:94:a1:43:e8:b0:cd:76:6a:5e:6 0 | Key Related Information Subject Public Key: RSA(4096 bits) Subject Key Identifiers: f2:77:17:fa:5e:a8:fe:f6:3d:71:d5:68:ba:c9:46:0 c:38:d8:af:b0 | |
| | Additional Information URL of HiPKI Repository for Certificate Policy and Certification Practice Statement Distribution: http://eca.hinet.net/repository-h | Remark Self-signed by 1 st Generation of HiPKI Root CA - G1. | |
| HiPKI EV TLS CA - G1 | Intermediate CA Certificate | | |
| | CN = HiPKI EV TLS CA - G1 | Issuer CN = HiPKI Root CA - G1 O = Chunghwa Telecom Co., Ltd. C = TW | |
| | Certificate related Information | Key Related Information | |



Taipei City 110, Taiwan, R.O.C.

Tel: +886 2 2346 6168 Fax: +886 2 2346 6068

Serial Number:

3c:43:cd:cd:dc:f2:3b:00:4f:0e:a0:73:fc:3e:a3:89 Authority Key Identifiers:

Signature Algorithm: sha256RSA

Not Before: 2019-02-22 05:56:03 p.m. (UTC

+8:00)

Not After: 2037-12-31 11:59:59 p.m. (UTC)

+8:00

Thumbprint Algorithm: shal

Thumbprint:

98:7e:11:0f:a2:3e:88:82:89:47:65:19:47:2f:40:2 Key Usage: Certificate Signing, Off-line CRL

f:1e:42:28:37

Thumbprint Algorithm: sha256

Thumbprint:

2a:8e:6a:86:e7:4d:10:ed:b2:02:6c:81:69:3d:64: 95:7a:0f:08:1c:16:31:91:2a:c9:5e:fd:fc:b5:62:5

6:57

Subject Public Key: RSA(4096 bits)

f2:77:17:fa:5e:a8:fe:f6:3d:71:d5:68:ba:c9:46:0

c:38:d8:af:b0

Subject Key Identifiers:

a9:0d:ea:63:ae:e3:8c:03:40:e7:ff:dc:33:28:e5:

23:8e:cb:10:9b

Basic Constraint: Subject Type=CA

Path Length Constraint=0

Signing, CRL Signing (06)

Additional Information

CRL Distribution Point: http://eca.hinet.net/repository/HRCA G1/

CA.crl

Certificate Policy: [1]2.23.140.1.1

URL of HiPKI Repository for Certificate Policy and Certification Practice Statement Distribution:

http://eca.hinet.net/repository-h

Remark

CA certificate of 1st Generation of HiPKI EV TLS CA signed by HiPKI Root CA -G1.



MANAGEMENT'S ASSERTION

Chunghwa Telecom (CHT) operates the Certification Authority (CA) services known as HiPKI Root CA - G1 and HiPKI EV TLS CA - G1 and provides extended validation SSL(EV SSL) CA services. CHT management has assessed its controls over its CA services. Based on that assessment, in providing its CA services at Taipei and Taichung, Taiwan, as of 22 February 2019 for its CAs as enumerated in Appendix A, CHT has:

- disclosed its EV SSL certificate lifecycle management business practices in its:
 - HiPKI EV TLS CA Certification Practice Statement Version 1.0;
 - HiPKI Root Certification Authority Certification Practice Statement Version 1.0; and
 - HiPKI Certificate Policy Version 1.0

including its commitment to provide EV SSL certificates in conformity with the CA/Browser Forum Guidelines on the CHT website, and provided such services in accordance with its disclosed practices

- suitably designed, and placed into operation, controls to provide reasonable assurance that:
 - the integrity of keys and EV SSL certificates it manages is established and protected throughout their lifecycles; and
 - EV SSL subscriber information is properly authenticated (for the registration activities performed by CHT)
- suitably designed, and placed into operation, controls to provide reasonable assurance that its EV SSL CA is operated in conformity with CA/Browser Forum Guidelines

in accordance with the WebTrust Principles and Criteria for Certification Authorities – Extended Validation SSL v1.6.2.



Page 2

The management of CHT is responsible for establishing controls over its EV SSL CA operations, including its EV SSL CA key lifecycle management controls, EV SSL certificate lifecycle management controls. These controls contain monitoring mechanisms, and actions are taken to correct deficiencies identified.

There are inherent limitations in any controls, including the possibility of human error, and the circumvention or overriding of controls. Accordingly, controls placed into operation can only provide reasonable assurance with respect to CHT's Certification Authority operations.

| Signature: | Chung, Ming | |
|------------|--------------------|--|
| | 0 | |
| Title: | Principal Engineer | |

今中華電信

Page 3

Appendix A – HiPKI Root and Intermediate CAs within the Audit Report Scope

| | Scope | | |
|----------------|---|--|--|
| | Root CA Certificate | | |
| | Subject | Issuer | |
| | CN = HiPKI Root CA - G1 | CN = HiPKI Root CA - G1 | |
| | O = Chunghwa Telecom Co., Ltd. | O = Chunghwa Telecom Co., Ltd. | |
| | C = TW | C = TW | |
| | Certificate related Information | Key Related Information | |
| | Serial Number: | Subject Public Key: RSA(4096 bits) | |
| | 2d:dd:ac:ce:62:97:94:a1:43:e8:b0:cd:76:6a:5e:6 | Subject Key Identifiers: | |
| | 0 | f2:77:17:fa:5e:a8:fe:f6:3d:71:d5:68:ba:c9:46:0 | |
| | Signature Algorithm: sha256RSA | c:38:d8:af:b0 | |
| | Not Before: 2019-02-22 05:46:04 p.m. (UTC | | |
| TT'DICI | +8:00) | | |
| HiPKI | Not After: 2037-12-31 11:59:59 p.m. (UTC | | |
| Root CA - | +8:00) | | |
| G1 | Thumbprint Algorithm: sha1 | | |
| | Thumbprint: | | |
| | 6a:92:e4:a8:ee:1b:ec:96:45:37:e3:29:57:49:cd:9 | * | |
| | 6:e3:e5:d2:60 | | |
| | Thumbprint Algorithm: sha256 | | |
| | Thumbprint: | | |
| | f0:15:ce:3c:c2:39:bf:ef:06:4b:e9:f1:d2:c4:17:e1 | | |
| | :a0:26:4a:0a:94:be:1f:0c:8d:12:18:64:eb:69:49: | | |
| | Additional Information | Remark | |
| | ■ URL of HiPKI Repository for Certificate | ■ Self-signed by 1 st Generation of HiPKI | |
| | Policy and Certification Practice | Root CA - G1. | |
| | Statement Distribution: | | |
| | http://eca.hinet.net/repository-h | | |
| | Intermediate CA Certificate | | |
| TI'DIZI EX | Subject | Issuer | |
| HiPKI EV | CN = HiPKI EV TLS CA - G1 | CN = HiPKI Root CA - G1 | |
| TLS CA - G1 | O = Chunghwa Telecom Co., Ltd. | O = Chunghwa Telecom Co., Ltd. | |
| | C = TW | C = TW | |
| | Certificate related Information | Key Related Information | |

中華電信

Page 4

Serial Number: Subject Public Key: RSA(4096 bits) 3c:43:cd:cd:dc:f2:3b:00:4f:0e:a0:73:fc:3e:a3:89 | Authority Key Identifiers: f2:77:17:fa:5e:a8:fe:f6:3d:71:d5:68:ba:c9:46:0 Signature Algorithm: sha256RSA Not Before: 2019-02-22 05:56:03 p.m. (UTC c:38:d8:af:b0 Subject Key Identifiers: +8:00)a9:0d:ea:63:ae:e3:8c:03:40:e7:ff:dc:33:28:e5: Not After: 2037-12-31 11:59:59 p.m. (UTC) +8:00)23:8e:cb:10:9b Thumbprint Algorithm: sha1 Basic Constraint: Subject Type=CA Path Length Constraint=0 Thumbprint: 98:7e:11:0f:a2:3e:88:82:89:47:65:19:47:2f:40:2 Key Usage: Certificate Signing, Off-line CRL Signing, CRL Signing (06) f:1e:42:28:37 Thumbprint Algorithm: sha256 Thumbprint: 2a:8e:6a:86:e7:4d:10:ed:b2:02:6c:81:69:3d:64: 95:7a:0f:08:1c:16:31:91:2a:c9:5e:fd:fc:b5:62:5 6:57 Additional Information Remark CA certificate of 1st Generation of HiPKI CRL Distribution Point: http://eca.hinet.net/repository/HRCA G1/ EV TLS CA signed by HiPKI Root CA -CA.crl G1. Certificate Policy: [1]2.23.140.1.1 URL of HiPKI Repository for Certificate Policy and Certification Practice Statement Distribution: http://eca.hinet.net/repository-h